




marLED® E15/E9

A different kind of light





Efficiency in the light of marLED® E15/E9/E9i

It is brilliant light based on the latest LED technology. Sturdy, stable, and powerful: The marLED® E is no less tailored to your needs than your operating room at large. It is available in numerous designs and combinations: from the marLED® E15 and the E9 all the way to the E9i with 160,000 lux.

In the marLED® E Battery version, these operating lights can be used off the grid for up to eight hours. Great for use in humanitarian efforts, for example.

The light series satisfies the highest hygienic requirements and also impresses with its excellent price-performance ratio. This pays off handsomely, benefitting all who use it. marLED® E – light just couldn't be more efficient.



Practical and convenient:
The marTouch® remote control lets you control operating lights and the camera system surgiCam®, but offers users lots of additional information. Docking station included, with table or wall fixation.





The marLED® E – best light
for the perfect cut!

Excellent color rendition, daylight-like color temperatures and outstanding laminar flow performance – these are features that arouse enthusiasm in every surgeon. The marLED® E offers illumination intensities of up to 160,000 lux – with unrivaled energy efficiency. Color temperature can be selected in three stages. Heat performance is no less outstanding: the warmest spot of the light head will at most just feel warm to the touch. Both the light field and the backlite mode can be controlled via the sterilizable handle. So this is why the marLED® E is so efficient, in performance, use and handling

The latest LED lens technology accounts for a homogenous light field, maximum shadow dilution, brilliant light and perfect color rendition. The backlite mode offers maximum illuminance while the backlite mode provides the ideal background light for endoscopic surgery.





Enlightening benefits for your eco balance

For all those who already think of tomorrow in their daily dealings, the marLED® E is the light of the future. This is simply because it not only offers perfect illumination of the surgical site, but ensures excellent energy efficiency at the same time. This pays off in multiple ways, for hospitals, patients – and the environment.

GoGreen



marLED® E Battery – mobile, powerful, self-contained



It looks exactly like the marLED® E, it is just as powerful, but it provides light independently, irrespective of whether mobile

or fixed in place – the marLED® E Battery. The batteries are integrated right into the light head and can be easily recharged in just a couple of hours

As a result, the marLED® E Battery delivers brilliant light for up to 8 hours. Wherever it is used – in the wilderness, in humanitarian efforts, in developing regions, in crisis areas. In fact, anywhere where light matters a lot – but no power supply is available.

From the smallest to the largest light – the marLED® E Battery series includes all variants of the customary marLED® E series. And it also offers a maximum output of 160,000 lx. Reliable independent power supply just couldn't be more mobile.



A clean solution in every respect

No visible screw connection, seamless cover glasses, integrated gaskets, innovative joining technology – the marLED® E impresses with a first-rate cleaning performance. It fully satisfies even the most stringent hygiene requirements. Perfectly suited for fast and easy, yet thorough wiping disinfection.



Flush front glasses with integrated gaskets prevent any capillary effect when applying detergents.



The seamless and smooth surface design of the light head permits fast and reliable cleaning unimpeded by external screws.





On balance a splendid result

A light source life of up to 40,000 hours, a cardanic suspension tailored to the operating room, a hitherto unknown laminar flow performance – the marLED® E offers an unrivaled combination of economy, efficiency and security in terms of lighting and hygiene! The bottom line is an excellent price-performance ratio – just the right investment for any clinic or hospital.

All marLED® E lights are also available in a battery version for off-the-grid operation. Following a charging period of just two hours, these versions provide light for up to eight hours.

	marLED® E15	marLED® E9i	marLED® E9
Turbulence degree (standard value: 37.5%)	24%	27%	27%
Power input ¹⁾	49 W	45 W	35 W
Effective life of light source		40,000 h	
Light field diameter (d10, distance of 1 m)	175–260 mm	170–220 mm	160–230 mm
Central illuminance (at a distance of 1 m)	160.000 lx	160.000 lx	130.000 lx
Color temperature	3,600 K / 4,300 K / 4,600 K		
Central illuminance (electric dimming from/to)	30–100% / 5% (in endo-mode)		
Color rendering index (CRI) [Ra (1-8)]	95		
Battery charging time ²⁾ (for marLED® E Battery)	2 h		

¹⁾ at 24 VDC, small light field, maximum illuminance ²⁾ in standby mode

Due to manufacturing and measuring tolerances, all data relating to lighting systems has a tolerance of +/- 5%.

KLS Martin Group

KLS Martin France SARL
68200 Mulhouse · France
Tel. +33 3 89 51 3150
france@klsmartin.com

KLS Martin UK Ltd.
Reading RG1 3EU · United Kingdom
Tel. +44 1189 000 570
uk@klsmartin.com

KLS Martin do Brasil Ltda.
CEP 04.531-011 São Paulo · Brazil
Tel.: +55 11 3554 2299
brazil@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
121471 Moscow · Russia
Tel. +7 499 792-76-19
russia@klsmartin.com

Martin Italia S.r.l.
20864 Agrate Brianza (MB) · Italy
Tel. +39 039 605 6731
italia@klsmartin.com

Nippon Martin K.K.
Osaka 541-0046 · Japan
Tel. +81 6 62 28 9075
nippon@klsmartin.com

KLS Martin Australia Pty Limited
Artarmon NSW 2064 · Australia
Tel.: +61 2 9439 5316
australia@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
201203 Shanghai · China
Tel. +86 21 5820 6251
china@klsmartin.com

Martin Nederland/Marned B.V.
1271 AG Huizen · The Netherlands
Tel. +31 35 523 4538
nederland@klsmartin.com

KLS Martin L.P.
Jacksonville, FL 32246 · USA
Tel. +1 904 641 7746
usa@klsmartin.com

KLS Martin SE Asia Sdn. Bhd.
14100 Simpang Ampat, Penang · Malaysia
Tel.: +604 505 7838
malaysia@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
Dubai · United Arab Emirates
Tel. +971 4 454 16 55
middleeast@klsmartin.com

Gebrüder Martin GmbH & Co. KG
A company of the KLS Martin Group
KLS Martin Platz 1 · 78532 Tuttlingen · Germany
Postfach 60 · 78501 Tuttlingen · Germany
Tel. +49 7461 706-0 · Fax 706-193
info@klsmartin.com · www.klsmartin.com

